

VorTex™ Soft Image Eclipse® D220

VorTex™ Soft Image Eclipse® D220 is a 8 oz., 100% polyester, soft blackout material with a black back. The material is crease-free for easy folding and shipping. The product is REACH compliant. VorTex Soft Image Eclipse D220 is printable via direct dye-sublimation, UV, Latex and transfer. Available in widths of 126” and 198”.

Material Details

| CHARACTERISTICS | TEST METHOD | METRIC | ENGLISH |
|------------------|-------------------|----------------------|----------------------|
| Base Fabric | | 100% Polyester | |
| Total Weight | DIN EN ISO 2286-2 | 260 g/m ² | 8 oz/yd ² |
| Fire Resistance | DIN EN 13501-1 | | |
| Coating | | Acrylic | |
| Thickness | | 0.40 mm | |
| Tensile strength | DIN EN ISO 1421-1 | 330 x 1000 N | 34 x 114 lbf |

Applications

| | Banner Stands | Banners Indoor | Projection | Light Box | Display Systems | Theater | Exhibition | Wall Advertising |
|-------------|---------------|----------------|------------|-----------|-----------------|---------|------------|------------------|
| Application | | ■ | ■ | | ■ | ■ | ■ | |

Ink Printability

| Solvent | Eco Solvent | UV | Latex | Screen Printing | Dye Transfer | Dye Direct |
|---------|-------------|----|-------|-----------------|--------------|------------|
| | | ■ | ■ | | ■ | ■ |

Available Sizes

| Metric (m) | English (inches) |
|------------|------------------|
| 3.20, 5.05 | 126, 198 |

The information on physical and chemical characteristics is based upon tests believed to be reliable. The values are intended only as a source of information. A legally binding guarantee of specific properties is not to be inferred from our specifications. They are given without guaranty and do not constitute a warranty. The purchaser should independently determine, prior to use, the suitability of this material for his/her specific purpose. (Data represents averages and is not intended for use as a specification.)